



## Test Report

No.T32520260567TY

Date: May 09, 2025

Page 1 of 6

IMPORT ANTS PTY LIMITED

UNIT 2, 80 EDINBURGH RD., MARRICKVILLE NSW 2204, AUSTRALIA

The following samples were submitted and identified by/on behalf of the client as:

PAINTEE PEEPS - PEOPLE SHAPED WOODEN TOY AND PAINT BRUSH

Case No. : CA325202622359  
Style / Item No. : 1a, 1b, 2a, 2b, 3a, 3b, 4a, 4b  
Buyer : IMPORT ANTS PTY LTD  
Supplier : IMPORT ANTS PTY LTD  
Manufacturer : LANKTRAD  
Manufacturer Address : 351/1 KERAWALAPITIYA RD HENDALA, WATTALA 11300 SRI LANKA  
Country of Origin : SRI LANKA  
Country of Destination : AUSTRALIA, NEW ZEALAND, USA  
Labeled Age Grading : AGE 2+  
Requested Age Grading : NOT STATED  
Age Group Assessed As Per : 1 YEAR+  
Age Guideline :  
Age Group Applied in Testing : 1 YEAR+  
Sample Receiving Date : JAN 22, 2025  
Testing Period : JAN 22, 2025 – FEB 11, 2025

Test Requested	Conclusion
AS/NZS ISO 8124.1:2023 – Safety of toys – Part 1: Safety aspects related to mechanical and physical properties	PASS
AS/NZS ISO 8124.2:2023 – Safety of toys – Part 2: Flammability	PASS
AS/NZS ISO 8124.3:2021 Amd 1:2023 – Safety of toys – Part 3 – Migration of Certain Elements	PASS
Australian Trade Practices Act 1974 - Consumer Protection Notice No. 1 of 2009 - Consumer Product Safety Standard: Lead and Certain Elements in Children's Toys	PASS
Australian Competition and Consumer Act 2010 - Consumer Protection Notice No. 11 of 2011 - Permanent ban on children's products containing more than 1% diethylhexyl phthalate (DEHP)	PASS
Australia Industrial Chemicals Environment Management (Register) Instrument Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs) content	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.

Ho Tsz Him, Andy  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





## Test Report

No.T32520260567TY

Date: May 09, 2025

Page 2 of 6

### Test Results:

#### **AS/NZS ISO 8124.1:2023 – SAFETY OF TOYS – PART 1: SAFETY ASPECTS RELATED TO MECHANICAL AND PHYSICAL PROPERTIES**

AS SPECIFIED IN AS/NZS ISO 8124.1:2023 – SAFETY OF TOYS – PART 1: SAFETY ASPECTS RELATED TO MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Requirements	
4.1	General	<u>Pass</u>
4.2	Reasonably foreseeable abuse	<u>Pass</u>
4.3	Material	
	4.3.1 Material quality (Visual Examination)	<u>Pass</u>
4.4	Small parts	
	4.4.1 For children under 36 months	<u>Pass</u>
4.6	Edges	<u>Pass</u>
4.7	Points	<u>Pass</u>
<b>Annex B</b>	<b>Safety-labeling guidelines and manufacturer's markings</b>	
B.2	Safety-labeling guidelines	
B.2.1	Good practice for visibility and legibility	<u>See Remark</u>
	Remark: The standard has introduced good practice by addressing the following aspects:	
	a) Emphasising the warning	
	b) Contrast, background and colours	
	c) Reflecting surfaces and obscuring material	
	d) Font type	
	e) Font and symbol size	
	f) Logical direction of text	
B.2.2	Age grading	<u>Pass</u>
B.4	Manufacturer's Markings	<u>Pass</u>

N.B. : - Only applicable clauses were shown.

#### **AS/NZS ISO 8124.2:2023 – SAFETY OF TOYS – PART 2: FLAMMABILITY**

AS SPECIFIED IN AS/NZS ISO 8124.2:2023 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General	<u>Pass</u>

Type of gas: Butane gas used in the test burner

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**AS/NZS ISO 8124.3:2021 Amd 1:2023 – Safety of toys – Part 3 – Migration of Certain Elements**

Method: With reference to AS/NZS ISO 8124.3:2021 Amd 1:2023

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)		Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (mg/kg)		5	5	2.5	10	5	5	5	10
Permissible Limit (mg/kg) – Other than Modelling clay and putty, Finger paint, and Slime		90	60	25	1000	75	60	60	500
Specimen No.	Mass of trace amount (mg)	Adjusted Soluble Result(s) (mg/kg)							
1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	/	ND	ND	ND	ND	ND	ND	ND	ND
9	/	ND	ND	ND	ND	ND	ND	ND	ND
10	/	ND	ND	ND	ND	ND	ND	ND	ND
11	/	ND	ND	ND	ND	ND	ND	ND	ND
12	/	ND	ND	ND	ND	ND	ND	ND	ND
13	/	ND	ND	ND	ND	ND	ND	ND	ND

**Specimen Description:**

- Transparent lacquer on wood (All: On people shaped)
- Yellow coating on wood (A: On people shaped)
- Green coating on wood (B: On people shaped)
- Purple coating on wood (C: On people shaped)
- Violet coating on wood (D: On people shaped)
- Cyan coating on wood (E: On people shaped)
- Dull pink coating on wood (F: On people shaped)
- Blue coating on wood (G: On people shaped)
- Orange coating on wood (H: On people shaped)
- Ivory straw grass w/ black printing (D, H: Brush)
- Brown Natural wood (All: People shaped)
- Ivory straw grass (A, B, F, G: Brush)
- Brown straw grass (B, C, E: Brush)

Note:

- mg/kg = milligram per kilogram
- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Australian Trade Practices Act 1974 - Consumer Protection Notice No. 1 of 2009 - Consumer Product Safety Standard: Lead and Certain Elements in Children's Toys**

Method: With reference to AS/NZS ISO 8124.3: 2021 Amd 1:2023 and AS/NZS 8124.3: 2003  
Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)		Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (mg/kg)		5	5	2.5	10	5	5	5	10
Permissible Limit (mg/kg) – Other than Modelling clay and putty, Finger paint, and Slime		90	60	25	1000	75	60	60	500
Specimen No.	Mass of trace amount (mg)	Adjusted Soluble Result(s) (mg/kg)							
1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	/	ND	ND	ND	ND	ND	ND	ND	ND
9	/	ND	ND	ND	ND	ND	ND	ND	ND
10	/	ND	ND	ND	ND	ND	ND	ND	ND
11	/	ND	ND	ND	ND	ND	ND	ND	ND
12	/	ND	ND	ND	ND	ND	ND	ND	ND
13	/	ND	ND	ND	ND	ND	ND	ND	ND

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped)
2. Yellow coating on wood (A: On people shaped)
3. Green coating on wood (B: On people shaped)
4. Purple coating on wood (C: On people shaped)
5. Violet coating on wood (D: On people shaped)
6. Cyan coating on wood (E: On people shaped)
7. Dull pink coating on wood (F: On people shaped)
8. Blue coating on wood (G: On people shaped)
9. Orange coating on wood (H: On people shaped)
10. Ivory straw grass w/ black printing (D, H: Brush)
11. Brown Natural wood (All: People shaped)
12. Ivory straw grass (A, B, F, G: Brush)
13. Brown straw grass (B, C, E: Brush)

Note:

- mg/kg = milligram per kilogram
- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Australia Consumer Protection Notice No. 11 of 2011 - DEHP Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)			Permissible Limit (%)
Specimen No.	--	1	2	3	
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	1.0

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)

Note:

- ND = Not Detected (lower than MDL)
- % = percentage by weight
- MDL = Method Detection Limit = 0.003%
- Composite test has been performed as per client's request and the results are calculated using the total specimen weight

**Australia Industrial Chemicals Environment Management (Register) Instrument**

Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs) content

Method : With reference to ISO 18219-1:2021 and ISO 22818:2021. Analysis was performed by GC-NCI-MS / GC-ECD.

**Articles:**

Test Item	Result (%)	Reporting Limit (%)	Permissible Limit (%)
	1-3		
Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	ND	0.005	0.15
<b>Comment</b>	PASS	--	--

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)

Note:

1. % = percentage by weight
2. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### Remark:


When statement of conformity is made, unless inherent in the requested specification, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

"Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

### Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.