



## Test Report

No.T32520260568TY

Date: May 09, 2025

Page 1 of 11

IMPORT ANTS PTY LIMITED

UNIT 2, 80 EDINBURGH RD., MARRICKVILLE NSW 2204, AUSTRALIA

The following samples were submitted and identified by/on behalf of the client as:

PAINTEE PEEPS - PEOPLE SHAPED WOODEN TOY AND PAINT BRUSH

Case No. : CA325202622359  
Style / Item No. : 1a, 1b, 2a, 2b, 3a, 3b, 4a, 4b  
Buyer : IMPORT ANTS PTY LTD  
Supplier : IMPORT ANTS PTY LTD  
Manufacturer : LANKTRAD  
Manufacturer Address : 351/1 KERAWALAPITIYA RD HENDALA, WATTALA 11300 SRI LANKA  
Country of Origin : SRI LANKA  
Country of Destination : AUSTRALIA, NEW ZEALAND, USA  
Labeled Age Grading : AGE 2+  
Requested Age Grading : NOT STATED  
Age Group Assessed As Per : 1 YEAR+  
Age Guideline :  
Age Group Applied in Testing : 1 YEAR+  
Sample Receiving Date : JAN 22, 2025  
Testing Period : JAN 22, 2025 – FEB 11, 2025

Test Requested	Conclusion
ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS (EXCEPT CLAUSE 7.1)
Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	SEE RESULT
CPSIA section 101 - Total Lead content	--
CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
US 16 CFR Part 1307 – Phthalates	PASS
US Model Toxics in Packaging Legislation (TPCH: Toxics in Packaging Clearing House) (formerly drafted by CONEG) – Total Lead, Cadmium, Mercury and Hexavalent Chromium content	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





## Test Report

No.T32520260568TY

Date: May 09, 2025

Page 2 of 11

Test Requested	Conclusion
US California Proposition 65 – Lead Content	PASS
US California Proposition 65 – Phthalates Content	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.

Ho Tsz Him, Andy  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32520260568TY

Date: May 09, 2025

Page 3 of 11

### Test Results:

#### **ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY**

AS SPECIFIED IN ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	Pass
4.2	Flammability Test	<u>Pass (See Detail of test result)</u>
4.3	Toxicology	
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in Paint/Similar Surface-coating Materials	<u>Pass (See Detail of test result)</u>
4.3.5.2	Heavy Metal in Substrate Materials	<u>Pass (See Detail of test result)</u>
4.3.8	Phthalates	<u>Pass (See Detail of test result)</u>
4.6.1	Small Objects	<u>Pass</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
5	Safety Labeling Requirements	
5.1	Federal Government Requirements	
5.1.1	Specific Labeling Requirement (Remark: All toys that fall within the definitions and requirements of the U.S. FHSA shall conform to the labeling requirement of that act. For specific requirements, reference 16 CFR 1500.3, 1500.14, 1500.19, 1500.82, 1500.83, 1500.86, 1500.121, 1500.122, 1500.123, 1500.125, 1500.126, 1500.127, 1500.128, 1500.130, 1505.3, and 1511.7. In addition, state labeling requirements may exist.)	<u>See Remark</u>
5.1.2	Tracking Label	<u>Pass</u>
5.2	Age Grading Labeling	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings (Remark: It is drawn to your attention that either a principal component of a toy or the package of a toy shall be marked with the name and address of the producer or the distributor.)	<u>See Remark</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>

\*\* Visual Examination

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32520260568TY

Date: May 09, 2025

Page 4 of 11

Detail of test result:

ASTM F963-23, Clause 4.2 – Flammability Test

Flammability Test on Solid

Sample

See sample description

Burning Rate (inch/sec)\*

0.1\*

\*Burning rate has been rounded to the nearest one tenth of an inch per second.

Requirement: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

**ASTM F963-23, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-23 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)	ND
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)	ND
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)	ND

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm)	90	60	25	1000	75	60	60	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
1-9	/	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Transparent lacquer on wood (All: On people shaped)
2. Yellow coating on wood (A: On people shaped)
3. Green coating on wood (B: On people shaped)
4. Purple coating on wood (C: On people shaped)
5. Violet coating on wood (D: On people shaped)
6. Cyan coating on wood (E: On people shaped)
7. Dull pink coating on wood (F: On people shaped)
8. Blue coating on wood (G: On people shaped)
9. Orange coating on wood (H: On people shaped)

Note:

- ppm = parts per million
- 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**ASTM F963-23, Clause 4.3.5.2 – Heavy Elements in Substrate Materials**

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-23 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

**Total Lead Content**

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Ivory straw grass w/ black printing (D, H: Brush)	20

**Soluble Heavy Metal Content**

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays	90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays	90	60	25	250	50	25	25	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
1	/	ND	ND	ND	ND	ND	ND	ND

**Specimen Description:**

1. Ivory straw grass w/ black printing (D, H: Brush)

- Note:
- ppm = parts per million
  - µg/component = microgramme per component
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Standard Consumer Safety Specification on Toy Safety, ASTM F963-23, Clause 4.3.8 – Phthalate Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		1	2	3		
<b>Specimen No.</b>	--					
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)

Note:

- % = percentage by weight
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- 1% = 10000 mg/kg = 10000 ppm
- Composite test has been performed as per client's request and the results are calculated using the total specimen weight

**Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.**

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label on the packaging: Present

- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)	ND
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)	ND
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm
  - Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight

**CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Ivory straw grass w/ black printing (D, H: Brush)	20

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**US 16 CFR Part 1307 – Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)

Note:

- % = percentage by weight
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- Composite test has been performed as per client's request and the results are calculated using the total specimen weight

**US Model Toxics in Packaging Legislation (TPCH: Toxics in Packaging Clearing House) (formerly drafted by CONEG) – Total Lead, Cadmium, Mercury and Hexavalent Chromium content**

Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC62321-7-1:2015

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Ultraviolet Visible Spectrophotometer (UV-Vis)

Test Item(s)	Pb	Cd	Hg	Cr(VI)	Total (Pb + Cd + Cr(VI)+ Hg)
MDL (mg/kg)	5	5	5	5	--
Permissible Limit (mg/kg)	--	--	--	--	100
Specimen No.	--	--	--	--	--
1	ND	ND	ND	ND <sup>#</sup>	ND
2	ND	ND	ND	ND <sup>#</sup>	ND

**Specimen Description:**

1. White paper (All: Wrap paper)
2. Transparent soft plastic w/ adhesive backing (Adhesive tape)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32520260568TY

Date: May 09, 2025

Page 9 of 11

- Note:
- mg/kg = milligram per kilogram
  - 1% = 10000 mg/kg = 10000 ppm
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - The TPCP legislation has been enacted by California, Connecticut, Florida, Georgia, Illinois, Iowa, Maine, Maryland, Minnesota, Missouri, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, Washington and Wisconsin.
  - # = The result of Hexavalent chromium (Cr(VI)) is considered as "Not Detected" since the total chromium content determined by acid digestion is "Not Detected".

### US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)	ND
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)	ND
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)	ND
4. Ivory straw grass w/ black printing (D, H: Brush)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - 1% = 10000mg/kg=10000ppm
  - MDL = Method Detection Limit =10 ppm
  - Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight

### Remark: Summary of permissible limit(s) of Lead requirement

Requirement(s)	Permissible Limit of Lead (ppm)
California Proposition 65 (ACSC Case No. RG-07-356892)	
Surface Coating	90
Accessible substrate	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**California Prop 65 - Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	1	2	3	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

**Specimen Description:**

1. Transparent lacquer on wood (All: On people shaped) + Yellow coating on wood (A: On people shaped) + Green coating on wood (B: On people shaped)
2. Purple coating on wood (C: On people shaped) + Violet coating on wood (D: On people shaped) + Cyan coating on wood (E: On people shaped)
3. Dull pink coating on wood (F: On people shaped) + Blue coating on wood (G: On people shaped) + Orange coating on wood (H: On people shaped)

Note:

- % = percentage by weight
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- 1% = 10000 mg/kg = 10000 ppm
- Composite test has been performed as per client's request and the results are calculated using the total specimen weight

**Summary of Permissible Limit of Requirement(s)**

Requirement(s)	Permissible Limit
California Proposition 65 (ACSC Case No. BG07350969)	
- Toys for children under 6 or childcare articles for children under 3	≤ 0.1% for each of DBP, BBP, DEHP, DIDP, DnHP and DINP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

### Remark:


When statement of conformity is made, unless inherent in the requested specification, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

"Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

### Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.